

Purchase Order Receipt Listing

Page 1 of 1

Tuesday, July 31, 2012 2:18:22 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO17488 Receipt Dates from 7/31/2012 to 7/31/2012 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name VC-MET001 Metaux Castle											
PO17488	1		D6103-003P	Each	8/3/2012	7/31/2012	10.0000	\$66.34	0.0000	0	\$663.36
CAD	No		round alum billet	Each	10.0000	DESJ02		\$663.36	0.0000	0	
			12257687256								
	2		M174B1.500X02.250 f		8/3/2012	7/31/2012	11.5833	\$94.47	0.0000	0	\$1,094.27
	No		17-4 SS Bar 1.50 f		11.5833	DESJ02		\$1,094.27	0.0000	0	
			X2.250								
			12257687256								
											Total Received Quantity:
											21.5833
											Total Qty to Inspect (PO U/M):
											0.0000
											Total Reject Quantity:
											0.0000
											Total Receipt Value:
											\$1,757.63
											Total Balance Due Quantity:
											0.0000

8726512

87265

Receiving Report

Date: 12/7/31

Batch No: M722576

Supplier: METAL & CATTLE

Dart P/O: 1748P


Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☐ No ☒ N/A ☐
 QC6 Inspection PK 12/08/01 N/A ☐
 Work Order B87256 N/A ☐


Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12



Production/Admin:
 Date
 Received/Costing
 Initial

12/7/31


Location _____

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:1408204

Ship From: A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped	F.O.B.	Freight Terms		Carrier		BOL No	
30-JUL-2012	ORIGIN	Prepaid		MANITOULIN		1408204-2	

Shipment Details	Final Destination Branch - MON
-------------------------	---------------------------------------

Order No	Line No	Item No	Description				
2322476	1	8808.MO	3.5000..RD.7075.T7351.ALUMINUM.CF.144.0000 CUT TO 12.5 IN (+ .0620/- .0000 IN) - BAND SAW CUTTING SPECIFICATIONS: QQ-A-225/9				
Purchase Order No		Part Number		Ordered Qty		Invoice Qty	
17488		YOUR ITEM NUMBER: D6103-003		10.00 PCS		10.00 PCS	
Details							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
117818961	ALCOA INC	MA011003333		10			121.2537

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

Certified Inspection Report

05/25/11
09:30:29

Alcoa Inc.
Massena Operations
Park Avenue East, Massena, NY 13662



Customer
Castle A M & Co

Customer P.O. No.
109532

Customer Part No.
(8808)

Alcoa Order No.
MMC-97150- -002

Govt. Contract No.

Actual Started Chemistry

LOT/WORK ORDER		%SI	%FE	%CU	%MN	%MG	%CR	%ZN	%TI	%OE	%OT	%AL			
MA011003332	MAX	0.08	0.15	1.6	0.02	2.5	0.20	5.7	0.02	LT 0.05	LT 0.15	Rem			
	MIN	0.06	0.12	1.4	0.01	2.3	0.20	5.5	0.02						
MA011003333	MAX	0.08	0.12	1.6	0.02	2.5	0.20	5.7	0.02	LT 0.05	LT 0.15	Rem			
	MIN	0.07	0.12	1.4	0.02	2.3	0.20	5.5	0.02						
MA011004085	MAX	0.08	0.15	1.6	0.02	2.5	0.20	5.7	0.02	LT 0.05	LT 0.15	Rem			
	MIN	0.06	0.12	1.4	0.01	2.3	0.20	5.5	0.02						

NOTES:

Mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product.

This alloy meets the requirements of EU 2002/95/EC (RoHS) and EU 2000/53/EC for lead, mercury, cadmium and hexavalent chromium.

Castle Metals FP

HEAT NUMBER MA011003333
MECHANICAL ID _____
ITEM CODE 8808
LOT NUMBER _____
PO NUMBER 109532
RECEIPT DATE 5-31-2011
SUPPLIER ALCOA
SPECIFICATION _____
LCS NO
COMMENT _____
APPROVED DS

Certified Inspection Report

05/25/11
09:30:29

Alcoa Inc.
Massena Operations
Park Avenue East, Massena, NY 13662



Customer Castle A M & Co	Customer P.O. No. 109532	Customer Part No. (8808)	Alcoa Order No. MMC-97150-002	Govt. Contract No.
--	------------------------------------	------------------------------------	---	--------------------

Ship To **A. M. Castle & Company**
3400 North Wolf Road
Bay #7
Franklin Park, IL 60131

We hereby certify that the material covered in this report has been inspected in accordance with, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description and that samples representative of the material met the composition limits and have the mechanical properties shown on the face of this sheet. Manufactured under an ISO/QS-9000 registered quality management system.
Melted and manufactured in the USA.
Thomas J. Klomp, Quality Assurance Manager

Date Shipped 05/25/11	Weight Shipped 10,104 lbs	Product CFRB-CF ROD Specific Length	BOL 000159457
Alloy - Temper 7075-T7351	Size 3.50000 IN	Shape DIA Config 12 FT	QRR

Specifications:

97075-11 Rev 10 w/exc & comments per T
Klomp email dtd 1/5/10
Material conforms to T73 requirements
Minimum mechanical properties to apply:
8 KSI Tensile Strength
6 KSI Yield Strength
0% Elongation
AMS 4124D (Except Size)
QA-225/9E (Except Size)
STM B211-03 (Except Size)
MS-QQA-225/9 (Except Size)

Product produced and marked to the requirements of AMS-QQ-A-225/9 also meets the requirements of QQ-A-225/9.
Product produced and marked to the requirements of QQ-A-225/9 also meets the requirements of AMS-QQ-A-225/9.

TEST REQUIREMENTS		Test	Test	Test	Test	Test	Test	Test	Test	Test
		U.T.S.	T.Y.S.	%Elong	Cond					
Max:			67.9							
Min:		68.0	56.0	10.0	38.0					

Test Results		Test	Test	Test	Test	Test	Test	Test	Test	Test
Lot / Work Order		U.T.S.	T.Y.S.	%Elong	Cond					
4A011003332	1	Max: 72.3	61.2	15.0	41.1					
		Min: 72.3	61.2	15.0	41.1					
4A011003333	1	Max: 71.0	59.4	15.0	41.4					
		Min: 71.0	59.4	15.0	41.4					
4A011004085	1	Max: 72.3	61.0	15.0	40.9					
		Min: 72.3	61.0	15.0	40.9					

TEST ABBREVIATIONS

U.T.S. Ultimate Tensile Strength KSI
Cond Conductivity % IACS
T.Y.S. Tensile Yield Strength KSI
%Elong Elongation % in 2"

Aluminum Association Chemical Composition Limits (in Weight %)

ALLOY	MAX	%SI	%FE	%CU	%MN	%MG	%CR	%ZN	%TI	%Others	%Others	%AL			
7075	MIN	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.15	Rem			
				1.2		2.1	0.18	5.1		Each	Total				

**Castle Metals®**

A. M. Castle & Co.

BORDEREAU DE MARCHANDISES

Page 1 of 1

No de Formulaire d'Emballage / Shipment No:1408204

Expédié de / Ship From: A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Vendu à / Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Expédié à / Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Livré à / Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date d'expédition / Date Shipped	F.O.B.	Modalités de transport / Freight Terms		Transporteur / Carrier		No du Bon de connaissance / BOL No	
30-JUL-2012	ORIGIN	Prepaid		MANITOULIN		1408204-2	

Détails d'expédition / Shipment Details	Destination finale / Final Destination Branch - MON
--	--

N° de commande / Order No	N° de ligne Line No	N° d'article / Item No	Description	
2322491	1	9199.BO	1.5000.2.2500.FLAT.17CR-4NI.STAINLESS.HR.ANN.PICKLE.132.00 00-156.0000 SPECIFICATIONS: AMS 5643	
N° de bon de commande / Purchase Order No		Nbre de pièces / Part Number	Qté commandée / Ordered Qty	Qté Facturée / Invoice Qty
17488			137.70 LBS	11.5833 FT

Détails / Details AMS 5643		N° de livraison / Delivery No : 117825350	Usine / Mill FRY STEEL COMPANY	No de coulée / Heat Number G18827	Code méc / Mech Id	Pièces / PCS 1.0	Largeur (Pouce) / Width (IN)	Longueur (Pouce) / Length (IN) 139.0000	Qté expédiée / Shipped Qty(LBS) 135.0000
--------------------------------------	--	---	--	---	---------------------------	----------------------------	-------------------------------------	---	--

Ces marchandises/technologies sont sujettes aux règlements de l'Export Administration et du département d'état des États-Unis. Si elles ont été/sont exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraire aux lois des États-Unis est interdite.

These commodities/technologies are subject to US Export Administration and US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports d'essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client ne peut être retourné pour crédit.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Ce matériel a été reçu et inspecté par
Reviewed by Authorized Castle Metals Representative:

Date:

Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 30-JUL-2012 01:46:45 PM

af 12/08/12
1408204-2

Castle Metals Mon

HEAT NUMBER G 18827
MECHANICAL ID _____
ITEM CODE 9199. B0
LOT NUMBER M102224
PO NUMBER 16314
RECEIPT DATE 7-26-12
SUPPLIER Fry Steel
SPECIFICATION AMS 5643
LCS -
COMMENT -
APPROVED JS

OK 12/08/01

I am 9199.30 P016314 1/1



Dunkirk Specialty Steel, LLC
A Universal Stainless & Alloy Products Company
P.O. Box 319
830 Brigham Rd.
Dunkirk, NY 14048

Quality System Registered to
ISO9001 and AS9100

Material Certification

MILL ORDER: 0043607
PART NUMBER: S#16020
P.O. NUMBER: 46901-2

PAGE NUMBER: 1 of 1

P.O. DATE: 1/26/2012

PRINTED: 4/30/12 09:26

S FRY STEEL COMPANY
C T P.O. BOX 4048
L O
D

S FRY STEEL CO
H T C/O C.M.I. FREIGHT TRANS
I O 4201 WEST 36TH ST
P

SANTA FE SPRINGS, CA 90670

CHICAGO, IL 60623

Material Description: STAINLESS STEEL FLAT BAR 17-4 EAF+ACD HOT ROLLED SOLUTION TREATED PICKLED AMS 2303F, AMS 5643R (solution-treated), ASTM A564-10 (630 condition A), ASTM A484-11, ASME SA564 (630 condition A), Rockwell MB0160-003D (except hardness 6 UT/MT0501-510);

Size: 1.5000 X 2.2500 X 132.0000 MIN/

156.0000 MAX RANDOM LENGTH

Heat Number	ENL	WT	C	0.027	MN	0.76	SI	0.34	S	0.004	P	0.019
G18827			CR	15.38	W	<0.05	V	0.07	NI	4.24	NO	0.30
			CO	<0.05	CU	3.24	SN	0.006	PB		CB	0.26
			TA	<0.01	AL	<0.01	TI	<0.01	FE		B	<0.001
			O		MC		CA		SE		ZR	
			AG		BI		N	0.029	H		CQ	

HARDNESS: 347 BHN

H900 CAP: T/S KSI Y/S KSI
201.8 190.5
SEL 4R/A HARDNESS
17.5 57.4 405 BHN

MAGNETIC PARTICLE: E/S - 0/0
FERRITE: <5%

MACRO ETCH TEST: ACCEPTABLE
THIS MATERIAL WAS SOLUTION TREATED AT A TEMPERATURE OF 1900° F FOR AN APPROPRIATE TIME, FOLLOWED BY AIR COOLING.
KNOWINGLY RECORDING FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18 CHAPTER 47.
S# 16020

MELT SOURCE: UNIVERSAL/DUNKIRK
MATERIAL MELTED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDGEVILLE, PA
MATERIAL MANUFACTURED IN THE USA

FRY STEEL CO. CERTIFIES THAT THIS IS
A TRUE COPY OF THE ORIGINAL MILL TEST
REPORT NOW ON FILE
RECEIVED AND INSPECTED

MAY 02 2012

NY *C. J. Schmitt*
CHRIS SANDOVAL - D.O. MANAGER

12/08/01

S.H.J. Gawronski

S.H.J. Gawronski

>H.J. Gawronski, Manager Q.A.

04/30/12

Date

Melted and manufactured in compliance with DFARS 252.225-7014 ALT 1. Melted by LSAP in Bridgeville, PA, USA. Certification 1AW D1A 50 D49 / EN 10204 3.1. Material complies with EU directive 2002/95/EC (RoHS). The test results shown are certified to be a correct statement of records that were derived from testing samples of the material. Results meet applicable specifications. No welding was performed on the material supplied on this order. Material is free from mercury contamination. Material is of NAFTA origin. This material was produced under the Dunkirk Specialty Steel Quality Management System documented in QP Manual, Rev. 5 dated 7/1/2011, conforming to NCA-3800. Material testing was performed as applicable in accordance with ASTM A370, A564, CB, E10, E18, E23, E45, E112, E139, E381, E572, F1019, STP CHEM-GDS, E1444, & AMS 2315. The recording of false, fictitious, or fraudulent statements on this document may be punished as a felony under federal statutes, including Federal Law, Title 18, Chapter 47. Test results are maintained in company records.

1/2 x 2 1/4

918827



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO17488**

Purchase Order Date 7/19/12

PO Print Date 7/19/12

Page Number 1 of 2

Order From :

VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100
TORONTO, ON M4Y 3A5
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

514 694 9575

514 695 3281

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
6/26/12

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D6103-003P	round alum billet	8/03/12 Yes	10.00 Each	Yours ppd	\$67.6000	\$676.00

Special Inst:

AS PER DWG D6103 REV. B
88256 87265
MATERIAL: 7075-T7351 AS PER QQ-A-
225/9
SIZE: 3.500" X 12.500" LONG
TOLERANCE ON ALL DIMENSIONS
ARE +0.030"/-0.000"

2	M174B1.500X02.250	17-4 SS Bar 1.50 X2.250	8/03/12 Yes	12.00 f	Yours ppd	\$96.2700	\$1,155.24
---	-------------------	-------------------------	----------------	------------	-----------	-----------	------------

Special Inst:

MATERIAL: 17-4 PH SS BAR PER AMS
5604/5643
GRAIN MUST BE ALONG LENGTH OF
BAR
MINIMUM YIELD TENSILE STRENGTH
= 100 KSI
MINIMUM ULTIMATE TENSILE
STRENGTH = 150 KSI

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required **YES** NO

Change Nbr: 2

Change Date: 7/19/12



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO17488**

Purchase Order Date 7/19/12

PO Print Date 7/19/12

Page Number 2 of 2

Order From :

VC-MET001

METAUX CASTLE

A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100

TORONTO, ON M4Y 3A5

CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

3	M174PH-H900B3.937X4.750	17-4SS Bar H900- 3.937x4.750	8/03/12	8.00	Yours ppd	\$485.5000	\$3,884.00
			Yes		f		

Special Inst:

MATERIAL: 17-4 PH - H900 SS BAR
AS PER AMS 5604/5643
GRAIN MUST RUN ALONG LENGTH
MINIMUM ULTIMATE TENSILE
STRENGTH = 150 KSI
MINIMUM YIELD TENSILE STRENGTH
= 100 KSI

NOTE: MATERIAL 4.00"X 5.00" IS
ACCEPTABLE

NOTE:
PLEASE SHIP MATERIAL TO METCOR
INC.
560 BOULV. ARTHUR SAUVE
SAINT-EUSTACHE, QC
J7R-5A8
450-473-1884

PO Total:

\$5,715.24

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 2

Change Date: 7/19/12

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required **YES** NO

Dart Aerospace Ltd

Dart Aerospace Ltd
1270 Aberdeen St
Hawksbury, Ontario K6A 1K7
Phone: (613) 632-3336
Fax: (613) 632-4443

Receiving Slip

Date	Page
Mar 10, 2009	1

Receipt Number
RCP00010452

Purchase From:

Magna Stainless
5775 rue Kieran
St Laurent, Quebec H4S 0A3
Canada

Ship To:

Metcor .inc.
560 boul. Arthur Sauve
Saint-Eustache, Quebec J7R 5A8

Reference	Description	Contact	Vendor Number	PO Number
			VC-MAG002	PO00007996

Vendor Item Number	Item Number	Description	Qty. Received	UOM	Unit Cost	Extended Cost	Arrival Date
	M174PHH900B393	17-4PH SS BAR 3.937 X AS PER SAE AMS 2759/3 HEAT TREAT TO CONDITION H 900 PLEASE SEND TO METCOR FOR HEAT TREAT MINIMUM YIELD TENSILE STRENGTH = 100 KSI MINIMUM ULTIMATE TENSILE STRENGTH = 150 KSI GRAIN MUST RUN ALONG LENGTH PER AMS 5604/5643 MATERIAL: 17-4 PH H900 SS BAR	5.0000	f	479.000000	2,395.00	Mar 10, 2009
REFERENCE ONLY				REFERENCE ONLY			

Comments:

Chantal Lavoie

From: Desbiens, Marc <mdesbien@amcastle.com>
Sent: July 16, 2012 1:29 PM
To: Chantal Lavoie
Subject: RE: quote

Hi Chantal,

17-4PH AMS 5643
4" x 5" x 96" \$ 3884.00 Lot 2 weeks ✓

Thanks

From: Chantal Lavoie [<mailto:clavoie@dartaeio.com>]
Sent: Monday, July 16, 2012 10:29 AM
To: Desbiens, Marc
Subject: RE: quote

Hi Marc,
What about in a other size like 4" x 4.750" for the 17-4 bar.
Thanks
Chantal

From: Desbiens, Marc [<mailto:mdesbien@amcastle.com>]
Sent: July 16, 2012 10:21 AM
To: Chantal Lavoie
Subject: RE: quote

Hi Chantal,

price & delivery on material.

17-4 bar 1.5" x 2.250" x 12 ft \$ 96.27 Ft 2 weeks ✓

17-4 ph h900 bar 3.937" x 4.750" x 8 ft to send out to metcor for heat treat Regret

17-4 ph h900 round bar 1" x 48 ft to send out to metcor for heat treat \$ 10.07 Ft 7-8 days

303 bar 1" x 1" x 12 ft November only

303 round bar .750" x 108 ft \$ 4.26 Ft 7-8 days

304 bar .500" x 1.250" x 24 ft \$ 9.86 Ft 7-8 days

304 round bar .375" x 24 ft \$ 1.39 Ft 7-8 days

304 round bar 1" x 12 ft \$ 7.72 Ft 7-8 days

Thanks


This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly. If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.

M1010B0.500X03.000	7.56	0	49.3	12
M1010S18GA	8.466315632	0	64.485474	32 128
M1010S19GA	5.263158	0	0	0
M1018R0.375	1.732263284	0	5.575	6
M12883/41-19	3	-21	22	0
M174B0.250X4.000	0.143369726	0	1.6633	12
M174B0.500X02.000	5.755099747	0	34.4271	20
M174B1.250X02.000	19.36205301	0	50.525	20
M174B1.500X02.250	10.01254756	0	22.8479	20 12
M174PH-H900B3.937X4.750	9.261780526	0	1.843	8 8
M174PH-H900R0.625	4.21E-03	0	7.32	0
M174PH-H900R0.750	2.63E-02	0	9.5	0
M174PH-H900R1.000	89.27371496	0	75.813	4 48
M174PH-H900R1.375	30.80633168	0	64.5007	4
M174R0.375	6.105263158	0	24	8
M174R0.750	34.90373705	0	62.924	20
M2024T3A1.0 X 1.0 X.125	1.11E-07	0	9.0263159	0
M2024T3A1.0X1.5X125	4.63E-02	0	16.8	0
M2024T3A1.50X2.00X.125	1.58E-08	0	5.7894737	0
M2024T3H1.375	1.5	0	11	3
M2024T3S.020	6.109684211	0	67	4
M2024T3S.063	0.5148202	0	239.89	192 96
M2024T3S.080	22.91136809	0	213.47	160
M22759/16-229	1.266315789	0	150.74	100
M302LS.125x.003	11.08	0	0	0
M303B0.500X0.500	0.664105263	0	17.6309	6
M303B0.750X1.500	0.220110684	0	16.69	6
M303B1.000X03.000	5.16	0	5.33E-15	8
M303B1.000X1.000	6.694362421	0	16.233206	6 12
M303B2.000X1.750	2.301315632	0	18.460963	10
M303B2.500X2.000	3.68E-05	0	3.6053	6
M303B3.500X03.500	1.010526316	0	0	2
M303R0.187	2.578947368	0	14.83	6
M303R0.375	3.813157895	0	52.788	12
M303R0.500	44.48536379	0	261.726	20
M303R0.750	215.4801721	0	96.324	60 108
M303R1.000	55895605	0	5.982157895	12
M303R2.000	5.444736947	0	11.561	6
M304B0.250X4.000	2.684210579	0	35	8
M304B0.500X012.000	1.026315789	0	35.5	0
M304B0.500X2.500	27.85289471	0	27.127	0 24
M304B0.750X2.500	29.02357916	0	51.516	12
M304B1.000X1.000	1.707347347	0	32.507	6
M304B1.500X1.500	2.4334211	0	16.69715789	6
M304B3.500X03.500	14.21578947	0	0	0
M304EX0.75-16F	1340.353471	0	900.2084637	192 30 sheet
M304MS4.215-.035	1	0	26.22	4 640

~~M304B.625X3" X12 ft~~

No du livreur / Shipper No.: 1408204-2

EXPÉDITEUR - PAR /
SHIPPER, PER:



*insérer le nom du créateur /
insert creator's name*

Par /
Per

Signature du conducteur /

Date

Driver's Signature

PREUVE DE LIVRAISON /
PROOF OF DELIVERY:

Signature / Date

Name

Please Print Name Here

**Toutes les pages doivent être signées/ All pages must be
signed**

Page 2 of 2



DART AEROSPACE LTD 1270 ABERDEEN ST.		B/L NUMBER / CONNAISSMENT 14357849		STICKER / ÉTIQUETTE 1271679242		DATE 31-Jul-12	
HAWKESBURY, ON K6A 1K7 613-632-5200						TRAILER / REMORQUE	
AM CASTLE & CO CANADA INC 835 SELKIRK AVE.		MANITOULIN TRANSPORT PO BOX 390 ATTN Interlines Payable GORE BAY, ON P0P 1H0				ORIGIN/ORIGINE OTT	
POINTE CLAIRE, PQ H9R 3S2 514-694-9575						DEST. OTT	
DELIVERY INSTRUCTIONS / INSTRUCTIONS DE LIVRAISON							
PIECES / COLIS 4		DESCRIPTION PCS (2 BOXES, 1 SKID & 1 BAR)		WEIGHT / POIDS 1428		AS WT/COMME POIDS	
4		PREPAID		1428			
VED FROM / REQU DE		REFERENCE / RÉFÉRENCE		DRIVER NAME / NOM DU CHAUFFEUR		DELIVERY DATE / DATE DE LIVRAISON	
VED TO / TRANSFÉRÉ À		NOTICE: THE CONSIGNEE ON PREPAID FREIGHT MAY BE LIABLE FOR THE CHARGES PURSUANT TO SECTION 2 OF THE BILLS OF LADING ACT. AVIS: LE CONSIGNÉ SUR FRET PRÉPAYÉ PEUT ÊTRE SUJET AUX FRAIS DE CARGAISON POUR SUIVI À LA SECTION 2 DE L'ACTE DE CONNAISSMENT		ARRIVAL TIME / TEMPS ARRIVE		TIME OUT / TEMPS SORTIE	
RECEIVED IN APPARENT GOOD ORDER / REÇU EN BON ÉTAT APPARENT		PLEASE PRINT LAST NAME / NOM DE FAMILLE EN LETTRES MOULÉES S.V.P.					
x <i>L. Desjardins</i>		x <i>L. Desjardins</i>				AMOUNT DUE / MONTANT À PAYER	

BON DE CONNAISSANCE NOMINATIF ABRÉGÉ - ORIGINAL - NON NÉGOCIABLE STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE REÇU, Sujet aux classifications et tarifs en vigueur à la date d'émission du présent bon de connaissance RECEIVED, Subject to the classification and tariffs in effect on the date of issue of this Bill of Lading Le bien décrit plus bas, en bon état apparent, exception faite comme noté (le contenu et la condition du contenu de l'emballage inconnus), marqué, consigné et destiné comme indiqué ci-après, que le dit transporteur (le mot « transporteur » signifiant dans ce contrat toute personne ou société en possession du bien en vertu de ce contrat) accepte de le transporter à l'endroit habituel de livraison de ladite destination, si sur sa route, ou sinon de le livrer à un autre transporteur en route vers ladite destination. Il est mutuellement accepté, par chacun des transporteurs de toute ou n'importe quel dit bien, en totalité ou en partie de la route à destination, et par chaque partie intéressée par la totalité ou n'importe quelle partie du bien à n'importe quel moment, que chaque service à être exécuté tel que décrit ci-après est sujet à toutes les modalités et conditions générales du bon de connaissance nominatif « Uniform Domestic Straight Bill of Lading » présenté (1) dans la Classification uniforme de transport en vigueur à la date des présentes, s'il s'agit d'une expédition par voie ferroviaire ou par voie marine, ou (2) dans la classification ou le tarif applicable au transporteur motorisé s'il s'agit d'une expédition par véhicule motorisé. The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, understood throughout this contract as (contract) agrees to carry to its usual place of destination, or to deliver to another carrier on the route to said destination, over all or any portion of said route to the property, that every service to be performed under the Uniform Domestic Straight Bill of Lading set for rail or water shipment, or (2) in the applicable motor carrier classification or tariff.		No du livreur / Shipper No.: 1408204-2 De - A / FROM AT: A. M. Castle & Co. 835-SELKIRK AVENUE POINTE CLAIRE QC H9R 3S2 CAN d expédition / Ship Date: 30-JUL-2012
Consigné à / Consigned To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY ON K6A 1K7 CAN Directives de livraison / Delivery instructions: TOUS LES CHARGEMENT DOIVENT ÊTRE COUVERT. LA LISTE D'EMBALAGE DE LIVRAISON ET LES RAPPORTS DE TEST OU CONSIGNATAIRES REFUSERONT. ALL LOADS MUST BE TARPED. DELIVER PACKING LIST AND TEST REPORTS OR CONSIGNEE WILL REFUSE.		Modalités de paiement / Payment Terms: Prepaid REMETTRE LES FACTURES DE TRANSPORT À / REMIT FREIGHT INVOICES TO: RayTrans Management, Inc. 1501 Reedsdale Street STE 3001 Pittsburgh, PA. 15233
Nom du Transporteur / Carrier Name: MANITOULIN	Couverture d'assurance additionnelle / Additional Insurance Coverage: La valeur accepté ou déclaré de la propriété ci bas spécifiée par le transporteur n'excède pas : The agreed or declare value for the property is hereby specifically stated by the shipper to be not exceeding: _____ par / per _____	

Détail de livraison / Shipment Breakdown:

Quantité / Quantity	Emballage / Packaging	Classe / Class	Commodity
2	BOX	FAK 50	Metal Product
	BUNDLE	FAK 50	Metal Product

Poids du Chargement / Shipment Weights:

Produit / Product	1287 LBS
Dunnage	75 LBS
Gross	1362 LBS

ORDER DETAIL:

Bon de commande du client / Customer PO	No de commande du client / Sales Order No.	No de ligne / Line No.	No. d'Item Castle / Castle Item No.	Quantité livré / Quantity Shipped	Castle UOM
17464	2315995	1	2315995*1*1	30	PCS
17514	2324099	1	2324099*1*1	78	PCS
17488	2322476	1	2322476*1*1	10	PCS
17488	2322491	1	9199.BO	135	LBS

Sujet à la section 7 des Conditions générales du Bon de connaissance applicable. Si cette expédition est livrée au consignataire sans recourir à l'expéditeur, l'expéditeur doit signer les déclarations suivantes. Subject to Section 7 of Conditions of applicable bill of Lading. If this shipment is to be delivered to the consignee without recourse to the consignor, the consignor shall sign the following statements. Le transporteur ne doit pas livrer ce chargement sans avoir acquitté les frais de transport et les charges légales. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.	Si l'expédition se déplace entre deux ports par un transporteur par voie maritime, la loi exige que le bon de connaissance stipule s'il s'agit « du poids du transporteur ou de l'expéditeur ». NOTE : Là où la charge est en fonction de la valeur, les expéditeurs doivent déclarer spécifiquement par écrit la valeur du bien acceptée ou déclarée. If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight." NOTE: Where the rate is dependent on value, the shippers are required to state specifically in writing the agreed or declared value of the property.
CETTE EXPÉDITION DOIT ÊTRE REÇUE ET TRANSPORTÉE CONFORMÉMENT À TOUTES LES MODALITÉS ET CONDITIONS GÉNÉRALES DU BON DE CONNAISSANCE COMPAGNIES DE NAVIGATION. THIS SHIPMENT IS TO BE TENDER RECEIVED AND TO BE CARRIED SUBJECT TO ALL TERMS AND CONDITIONS OF THE STEAMSHIP COMPANIES CURRENT FORM BILL OF LADING	L'expéditeur déclare spécifiquement que la valeur acceptée ou déclarée du bien ne dépasse pas. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding
CE DOCUMENT CERTIFIE QUE LES ARTICLES MENTIONNÉS CI-DESSUS SONT PROPREMENT CLASSIFIÉS, DÉCRITS, EMBALLÉS, MARQUÉS ET IDENTIFIÉS, ET SONT EN ÉTAT D'ÊTRE TRANSPORTÉS CONFORMÉMENT AUX RÈGLEMENTS DU MINISTÈRE DES TRANSPORTS. THIS IS TO CERTIFY THAT THE ABOVE NAMED ARTICLES ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.	Le client est responsable de tous les documents d'expédition et de se conformer à toutes les lois canadiennes et américaines incluant, mais sans s'y limiter, les lois et règlements américains et canadiens relatifs à l'exportation. Customer is responsible for all shipping documents and compliance with United States and Canadian laws, including but not limited to U.S. and Canadian Export laws and regulations.

TOTAL 4

Tr. 63800

WJH